



CHEVRON

8MM FISHBONE - AC4

HDF LAMINATE FLOORING

Stunning Styles . Stunning Shades

#Designed To Excel

All the images are from actual photoshoot. Color may vary depending upon your screen resolution.



FB-5001 **DUAL TONE**

Size : 1215mm X 300mm x 8 mm

8 pcs(A -4pcs & B -4pcs / Box (2.916 Sqm)



FB-5002 **DUAL TONE**

Size : 1215mm X 300mm x 8 mm

8 pcs(A -4pcs & B -4pcs / Box (2.916 Sqm)



FB-5003 **DUAL TONE**

Size : 1215mm X 300mm x 8 mm

8 pcs(A -4pcs & B -4pcs / Box (2.916 Sqm)



FB-5004 **DUAL TONE**

Size : 1215mm X 300mm x 8 mm

8 pcs(A -4pcs & B -4pcs / Box (2.916 Sqm)



FB-5005 **DUAL TONE**

Size : 1215mm X 300mm x 8 mm

8 pcs(A -4pcs & B -4pcs / Box (2.916 Sqm)



FB-5006 **DUAL TONE**

Size : 1215mm X 300mm x 8 mm

8 pcs(A -4pcs & B -4pcs / Box (2.916 Sqm)

Unique Features



Scratch resistance




Anti-slip



Durability



Dimensional
stability



Quick
Installation



UV Protect



Heavy residential use
Level of use 23



Level of use 32
Light commercial use



Europe
Standard

TECHNICAL DATA

	Level of use 23 Heavy residential use	EN 13329	Bed room, living rooms, home offices, etc
	Level of use 32 Light commercial use	EN 13329	Offices, kids play room, changing room, low traffic areas, etc
	Abrasion resistance	EN 13329	AC4
	Impact resistance	EN 13329	IC2
	Fire resistance	EN 13501-1	Bfl-s1
	Slipperiness	EN 14041	DS
	Anti Static characteristics	EN 14041	Laboratory test is fulfilled
	Resistance to cigarette burns	EN 438-2	Slight change of the surface' s grande 4
	Light fastness	EN ISO 105-B02 EN 20105-A02	Blue wool scale : ³ / ₆ Grey scale : ³ / ₄
	Static indentation	EN 433	No visible change
	Effect of a furniture leg	EN 424	No visible damage
	Castor chair resistance	EN 425:2002	No visible damage
	Formaldehyde emission	DIN EN 14041	E1
	Thickness swelling	ISO24336	< =12%
	Surface soundness	EN 13329	> 1.00N/mm2



www.excelwallpapers.com