




MULTIPURPOSE FLOORING

EDUCATION ● SPORTS ● FITNESS

Freedom to run, jump, turn & twist

#Designed To Excel



EX-0101

Roll Size : 4.5 MM x 1.8 MTR x 20 MTR



EX-0301

Roll Size : 4.5 MM x 1.8 MTR x 20 MTR



EX-0401

Roll Size : 4.5 MM x 1.8 MTR x 20 MTR



EX-0502

Roll Size : 4.5 MM x 1.8 MTR x 20 MTR



EX-5819

Roll Size : 4.5 MM x 1.8 MTR x 20 MTR



EX-5822


Roll Size : 4.5 MM x 1.8 MTR x 20 MTR

TECHNICAL CHARACTERISTICS


Test Items	Test Method	Test Standard	Results	Unit
Thickness	EN428		4.5	mm
Length*Width	EN426		20m*1.8	m*m
Dimension Stability	EN ISO 23999	≤ 0.4	< 0.23	%
Abrasion Resistance	EN ISO 5470-1	≤ 1000	< 300	mg
Hardness	A	60-80	65-75	o
Vertical Deformation	DIN 14809	≤ 5	≤ 4	mm
Friction Coefficient	EN 13036-4	80-100	Qualified	
Ball Bounce	EN 12235	≥ 90	Qualified	%

PRODUCT ADVANTAGES





- ① PVC Wear Layer
- ② Glass Fiber Stable Layer
- ③ Decompression Layer
- ④ Closed-cell Foam Layer




- ① 100% PVC Wear Layer
- ② Printing Layer
- ③ Reinforced Layer
- ④ Glass Fiber Stable Layer
- ⑤ Gird Stable Layer
- ⑥ Decompression Layer
- ⑦ Closed-cell Foam Layer

APPLICATIONS



SPORTS

- Basketball
- Badminton
- Table Tennis
- Football
- Volleyball



FITNESS

- Wrestling
- Gymnasium
- Pilates & Yoga
- Kick-boxing
- Martial Arts
- Gymnastics



OTHER

- Kindergarten
- Libraries
- Auditorium



www.excelwallpapers.com