





- Authentic EmbossedClass 23 For heavy usage in domestic areas
- Class 32 For normal usage in commercial areas.
- AC5
- Guaranteed for 30 years
- Real groove Bevelled edges on all four sides
- A.B.C. Anti Bacterial Coating



Tropical Moisture Resistance Assembled Joint

Laminate flooring by KronoOriginal® – for a look with an assured sense of style










Thickness:

10 mm

Format:

1288 x 195 mm | 50.71" x 7.68"

Lock:















5947 HISTORIC OAK







Thickness:

10 mm

Format:

1288 x 195 mm | 50.71" x 7.68"

Lock:

1clic 2go pure+





































K479 ESPRESSO CARPENTER OAK



MADE IN GERMANY





Thickness:

10 mm

Format:

1288 x 195 mm | 50.71" x 7.68"

Lock:

































8155 APPALACHIAN HICKORY







Thickness:

10 mm

Format:

1288 x 195 mm | 50.71" x 7.68"

Lock:




































K665 COPPER ETHEREAL OAK







Thickness:


10 mm

Format:

1288 x 195 mm | 50.71" x 7.68"

Lock:







K667 ALPACA ETHEREAL OAK







Thickness:

10 mm

Format:

1288 x 195 mm | 50.71" x 7.68"

Lock:






































8156 RED RIVER HICKORY







Thickness:

10 mm

Format:

1288 x 195 mm | 50.71" x 7.68"

Lock:

































5537 TAWNY CHESTNUT

