



Luxus series

SPC FLOORING 5mm

Instant makeover with out any Dust & Noise

#Designed To Excel



EX2052S

Size : 7.25" x 48" x 5 mm

10 pcs / Box (24.16 Sqft Approx)



EX2054S

Size : 7.25" x 48" x 5 mm

10 pcs / Box (24.16 Sqft Approx)



EX2058S

Size : 7.25" x 48" x 5 mm

10 pcs / Box (24.16 Sqft Approx)



EX2062S

Size : 7.25" x 48" x 5 mm

10 pcs / Box (24.16 Sqft Approx)



EX2064S

Size : 7.25" x 48" x 5 mm

10 pcs / Box (24.16 Sqft Approx)



EX2069S

Size : 7.25" x 48" x 5 mm


10 pcs / Box (24.16 Sqft Approx)



EX2070S

Size : 7.25" x 48" x 5 mm

10 pcs / Box (24.16 Sqft Approx)



EX2075S

Size : 7.25" x 48" x 5 mm

10 pcs / Box (24.16 Sqft Approx)

ITEM		UNIT	TEST METHODS	SPEC	PRIME FLOOR SPC
Thickness		mm	ASTM F 386	±0.005"(0.13mm)	±0.005"(0.13mm)
Size	Width	mm	ASTM F 2055	184.15 ± 0.23	184.15 ± 0.23
	Length	mm		1220 ± 1.58	1220 ± 1.58
Squareness		mm	ASTM F 2055	Max. 0.01"(0.254mm)	≤ 0.2
Gloss level		-	60° Gloss Meter		5 - 8
Size	Width	%	ASTM F 2199-09	≤ 0.002"(0.165%)	≤ 0.1%
	Length	%		≤ 0.002"(0.165%)	≤ 0.1%
Size	23°C	mm			≤ 0.5mm
	-10°C x 2hr	mm			≤ 0.5mm
Core Density		-			1.95 ± 0.05
Contraction (-10°C, 2hr)	Width	%	-10°C x 2hr		≤ 0.2%
	Length	%			≤ 0.2%
Expansion (50°C, 4hr)	Width	%	50°C x 4hr		≤ 0.2%
	Length	%			≤ 0.2%
Indentation		%	ASTM F 1914	≤ 8%	≤ 5%
Resistance to Chemicals			ASTM F 925 (Resistance to Chemicals)	No more than slight change in surface dulling, surface attack, or staining	No more than slight change in surface dulling, surface attack, or staining
IIC			ASTM F 492-09	≥ 50	≥52
Static Load Limit			ASTM F 970	0.005"(0.13mm)	0.005"(0.13mm)
Pieces/Box				10 pcs	10 pcs
Sq.Mt./Box				2.25	2.25
CLICK				UNICLIC	UNICLIC



Lower Thickness
& Weight



Extra Wide
Planks



Impact
Resistances



Easy to
Clean Floor



Green
Product



Dust free



Flame
Resistant



Scratch
Resistant



Termite
Resistant



Water Proof



Recyclable




Weather
Proof



Stain
Free



Easy to
Carry



Quick
Installation



Glue
Free



www.excelwallpapers.com