




Salient Features

- Flooring in less than a day
- Can be installed on existing floors
- Water Proof
- Stain Resistant
- Fire Retardant
- Termite and Borer Free
- Easy to Carry
- Dust free Installation
- Noise free Installation
- Glue free Installation
- Easy to Shift & Dismantle
- Recyclable (has a scrap value)
- Seamless Finish
- Do It Yourself


STANLEY
SPCFloor



Quick-**Lock**™ Tiles



www.stanleypvc.com
info@stanleypvc.com





STANLEY SPCFloor Quick-**Lock**™ Tiles



STANLEY SPCFloor Quick-**Lock**™ Tiles

STANLEY
SPCFloor



Modern Touch
with
Enamoring Designs

Quick-**Lock**™ Tiles

STANLEY

SPCFloor
is just not a
flooring solution It's
a revolution by itself.


Technical Specifications

Wear Layer	0.3mm & 0.5mm
Finish	Matt
Thickness	4mm
Edge Profile	Micro Bevel Edge
Installation Method	Quick Lock Installation System

Plank Size : 9" x 4' *


5 layer core made of stone polymer composite.

Structure




- Double Layer UV**
Reduce fading to sun light near window or any other indoor environment.
- Wear Layer**
Strong Wear - Resistance for foot traffic and make the surface scratch resistance.
- Decorative Paper**
A design layer of high-resolution photo of real wood that is reproduced with sophisticated printing techniques.
- Base Layer**
Primary layer of the SPC structure


Laying Patterns




Herringbone



Double Herringbone



Random Type



H - Type

Installation Procedure






Salient Features

- Flooring in less than a day
- Can be installed on existing floors
- Water Proof
- Stain Resistant
- Fire Retardant
- Termite and Borer Free
- Easy to Carry
- Dust free Installation
- Noise free Installation
- Glue free Installation
- Easy to Shift & Dismantle
- Recyclable (has a scrap value)
- Seamless Finish
- Do It Yourself

STANLEY
SPCFloor



Quick-Lock™ Tiles



www.stanleypvc.com
info@stanleypvc.com




STANLEY SPCFloor Quick-Lock Tiles



STANLEY SPCFloor Quick-Lock Tiles

STANLEY
SPCFloor



Modern Touch
with
Enamoring Designs

Quick-Lock™ Tiles

STANLEY


SPCFloor
is just not a
flooring solution It's
a revolution by itself.

Technical Specifications


Wear Layer	0.3mm & 0.5mm
Finish	Matt
Thickness	4mm
Edge Profile	Micro Bevel Edge
Installation Method	Quick Lock Installation System
Plank Size : 9" x 4' *	

5 layer core made of stone polymer composite.


Structure




Laying Patterns




Herringbone



Double Herringbone



Random Type



H - Type

Installation Procedure



❖ Classic *Collection*




108mm x 89mm


STNF - 30103



STNF - 30203




STNF - 30302




STNF - 30402


❖ Antique *Collection*




STNF - 50103



STNF - 50203



STNF - 50302




STNF - 50402

❖ Mirage *Collection*




STNF - 70102



STNF - 70201

❖ Mirage *Collection*




220mm x 89mm


STNF - 70302




STNF - 70402




STNF - 70501



STNF - 70602




STNF - 70702




STNF - 70802

❖ Mirage *Collection*




220mm x 89mm


STNF - 70902




STNF - 71003




STNF - 71102



STNF - 71201



STNF - 71301



STNF - 71402

❖ Impresso *Collection*



220mm x 310mm

STNF - 80101



STNF - 80401